

# Stavex® BS01




For installation information please refer to the tooling overview and manuals on our website [www.avdel-global.com](http://www.avdel-global.com).  
 Pour les conditions de pose, merci de vous référer à la description de l'outil et aux manuels disponibles sur notre site Web.  
 Angaben zur Verarbeitng entnehmen Sie bitte der Geräteübersicht und den Betriebsanleitungen auf unserer Website.  
 Per informazioni sull'installazione, preghiamo consultare i manuali e la panoramica degli attrezzi sul nostro sito web.  
 Para ver información sobre máquinas de colocación, consulte nuestra página web, a partir de visión general de máquinas y manuales.

English	Français	Deutsch	Italiano	Español
Dome head	Tête plate	Flachrundkopf	Testa tonda	Cabeza alomada
Body: Low carbon steel*	Corps: Acier bas carbone*	Hülse: Stahl*	Corpo: Acciaio a basso tenore di carbonio*	Cuerpo: Acero bajo en carbono*
Zinc plated	Revêtement zingué	Verzinkt	Zincato	Zincado
Stem: Low carbon steel**	Tige: Acier bas carbone**	Dorn: Stahl**	Gambo: Acciaio a basso tenore di carbonio**	Vástago: Acero bajo en carbono**
Zinc plated	Revêtement zingué	Verzinkt	Zincato	Zincado

\*: BS3111 Type 0, SAE 1008, DIN 1654, QSt 34-3

\*\* : BS3111 Type 0, SAE 1010/1015/1018/1022, DIN 17210, Cq10 / DIN 1654 Cq10/Cq15/Cq22



Ø	Head		Thread		M	B	D	E	kN min.	kN min.	Part No/ref
	min.	max.	min.	max.							
3.2 (1/8")	1.0	6.0	3.3	3.4	14.5	7.3	1.0	2.2	0.9	1.2	0BS01-00414
4.0 (5/32")	2.0	8.0	4.1	4.2	16.0	8.2	1.4	2.9	1.5	1.8	0BS01-00516
4.8 (3/16")	1.5	5.1	4.9	5.0	12.2	10.1	1.6	3.1	2.6	2.9	0BS01-00612
	1.5	6.3			13.8						0BS01-00614
	1.5	9.0			17.1						0BS01-00618
	6.3	12.7			20.1						0BS01-00622
6.4 (1/4")	1.5	7.6	6.6	6.9	16.8	13.5	2.7	4.0	3.1	3.6	01610-04844 <sup>1)</sup>

all dimensions in mm / en millimètre / alle Maße in mm / in millimetri / en milímetros

1) stem: zinc plated, clear trivalent passivated / tige: revêtement zingué, passivation claire trivalente / Dorn: verzinkt, klar chromatiert Cr6-frei / gambo: zincato, passivazione chiara trivalente / vástago: zincado, pasivado claro trivalente



An Acument™ Global Technologies Company

[www.avdel-global.com](http://www.avdel-global.com)

Avdel - Partner seit 1986



© 2007 Acument Intellectual Properties, LLC

Stavex® is a trademark of Avdel UK Limited

06a.2007

Data shown is subject to change without prior notice as a result of continuous product development and improvement policy.  
 Your local Avdel representative is at your disposal should you need to confirm latest information.

# Stavex® BS04




For installation information please refer to the tooling overview and manuals on our website [www.avdel-global.com](http://www.avdel-global.com).  
 Pour les conditions de pose, merci de vous référer à la description de l'outil et aux manuels disponibles sur notre site Web.  
 Angaben zur Verarbeitungs entnehmen Sie bitte der Geräteübersicht und den Betriebsanleitungen auf unserer Website.  
 Per informazioni sull'installazione, preghiamo consultare i manuali e la panoramica degli attrezzi sul nostro sito web.  
 Para ver información sobre máquinas de colocación, consulte nuestra página web, a partir de visión general de máquinas y manuales.

English	Français	Deutsch	Italiano	Español
120° Countersunk head	120° Tête fraisée	120° Senkkopf	120° Testa svasata	120° Cabeza avellanada
Body: Low carbon steel*	Corps: Acier bas carbone*	Hülse: Stahl*	Corpo: Acciaio a basso tenore di carbonio*	Cuerpo: Acero bajo en carbono*
Zinc plated	Revêtement zingué	Verzinkt	Zincato	Zincado
Stem: Low carbon steel**	Tige: Acier bas carbone**	Dorn: Stahl**	Gambo: Acciaio a basso tenore di carbonio**	Vástago: Acero bajo en carbono**
Zinc plated	Revêtement zingué	Verzinkt	Zincato	Zincado

\*: BS3111 Type 0, SAE 1008, DIN 1654, QSt 34-3

\*\* : BS3111 Type 0, SAE 1010/1015/1018/1022, DIN 17210, Cq10 / DIN 1654 Cq10/Cq15/Cq22



ø	[Diagram]		[Diagram]		M	B	D	E	[Diagram]	[Diagram]	Part No/ref
	min.	max.	min.	max.							
3.2 (1/8")	1.00	6.00	3.3	3.4	14.0	6.0	1.0	2.2	0.90	1.17	OBS04-00414
4.8 (3/16")	2.36	6.35	4.9	5.0	13.7	8.9	1.4	3.0	2.00	2.89	OBS04-00614
	4.19	6.35			13.7						OBS04-C0614
	2.36	9.52			17.0						OBS04-00618
	6.35	12.70			20.1						OBS04-00622

all dimensions in mm / en millimètre / alle Maße in mm / in millimetri / en milímetros



An Acument™ Global Technologies Company

[www.avdel-global.com](http://www.avdel-global.com)

Stavex® is a trademark of Avdel UK Limited

Avdel - Partner seit 1986



© 2007 Acument Intellectual Properties, LLC

02.2009

Data shown is subject to change without prior notice as a result of continuous product development and improvement policy.  
 Your local Avdel representative is at your disposal should you need to confirm latest information.

# Stavex® BS11




For installation information please refer to the tooling overview and manuals on our website [www.avdel-global.com](http://www.avdel-global.com).  
 Pour les conditions de pose, merci de vous référer à la description de l'outil et aux manuels disponibles sur notre site Web.  
 Angaben zur Verbeitung entnehmen Sie bitte der Geräteübersicht und den Betriebsanleitungen auf unserer Website.  
 Per informazioni sull'installazione, preghiamo consultare i manuali e la panoramica degli attrezzi sul nostro sito web.  
 Para ver información sobre máquinas de colocación, consulte nuestra página web, a partir de visión general de máquinas y manuales.

English	Français	Deutsch	Italiano	Español
Dome head	Tête plate	Flachrundkopf	Testa tonda	Cabeza alomada
Body: Stainless steel* Polished	Corps: Inox* Poli	Hülse: Edelstahl* Blank	Corpo: Acciaio inox* Lucido	Cuerpo: Acero inoxidable* Pulido
Stem: Stainless steel** Natural	Tige: Inox** Brut	Dorn: Edelstahl** Unbehandelt	Gambo: Acciaio inox** Nessuna finitura	Vástago: Acero inoxidable** Natural

\*: BS3111 394S17, Werkstoff 1.4567

\*\* : BS3111 304S17, AISI 304, Werkstoff 1.4301 / BS3111 321S31, AISI 321, Werkstoff 1.4541



ø	D		E		M	B	D	E	kN min.	kN min.	Part No/ref
	min.	max.	min.	max.							
3.2 (1/8")	1.0	6.0	3.3	3.4	14.5	7.3	1.0	2.2	1.6	1.9	0BS11-00414
4.0 (5/32")	2.0	8.0	4.1	4.2	16.0	8.2	1.4	2.9	2.4	3.2	0BS11-00516
4.8 (3/16")	1.5	9.0	4.9	5.0	17.1	10.1	1.6	3.1	4.1	4.5	0BS11-00618

all dimensions in mm / en millimètre / alle Maße in mm / in millimetri / en milímetros



An Acument™ Global Technologies Company

[www.avdel-global.com](http://www.avdel-global.com)

© 2007 Acument Intellectual Properties, LLC

Stavex® is a trademark of Avdel UK Limited

03a.2007

Data shown is subject to change without prior notice as a result of continuous product development and improvement policy.  
 Your local Avdel representative is at your disposal should you need to confirm latest information.